

IN THE CLAIMS:

Please rewrite claim 1 and cancel claims 3, 4, 6, 15, 16 and 17 without prejudice or disclaimer as follows:

1. (currently amended) A method, comprising:

(A) defining a first experimental space comprising factors of at least two mixtures with at least one common factor;

(B) defining a second experimental space by deleting duplicate factor combinations from said first experimental space wherein said second experimental space is a ternary space comprising a number of experiments defined by

$$V + \prod_{i=1}^3 n_i \times I_3 + \left[\sum_{i=1}^3 \frac{1}{n_i} \prod_{i=1}^3 n_i \right] \times I_2$$

for a ternary system ($T = 3$) or an algorithm for a succeeding T -nary system, determined from a previous term by: (a) adding an additional term which contains an additional summation, incremented over a next index from a starting point one unit higher than the first summation; (b) decrementing the subscript on I ; and (c) adding a value of n , indexed by the next index, to the inverse term; and

(C) conducting a combinatorial high throughput screening (CHTS) experiment on said second experimental space, comprising an iteration of steps of simultaneously reacting a multiplicity of tagged reactants and identifying a multiplicity of tagged products of the reaction and evaluating said identified products after completion of a single or repeated iteration-~~space~~ to select a best case set of factors from said second experimental space.

2. (canceled)

3. (canceled)

4. (canceled)

5. (canceled)

6. (canceled)

7. The method of claim 1, wherein said second experimental space factors comprise reactants, catalysts and conditions and said (C) comprises (a) reacting a reactant selected from the second experimental space under a set of catalysts or reaction conditions selected from the second experimental space and (b) evaluating a set of products of the reacting step and further comprising (D) reiterating step (C) wherein a next second experimental space selected for a step (a) is chosen as a result of an evaluating step (b) of a preceding iteration of step (C).

8. The method of claim 7, comprising reiterating (C) until a best set of factors of said second experimental space is selected.

9. The method of claim 1, wherein said first experimental space includes a catalyst system comprising combinations of Group IVB, Group VIB and Lanthanide Group metal complexes.

10. The method of claim 1, wherein said second experimental space includes a catalyst system comprising a Group VIII B metal.

11. The method of claim 1, wherein said second experimental space includes a catalyst system comprising palladium.

12. The method of claim 1, wherein said second experimental space includes a catalyst system comprising a halide composition.

13. The method of claim 1, wherein said second experimental space includes an inorganic co-catalyst.

14. The method of claim 1, wherein said second experimental space includes a

catalyst system that includes a combination of inorganic co-catalysts.

15. (canceled)

16. (canceled)

17. (canceled)

18. (previously amended) A system for selecting a best case set of experiments of a experimental reaction, comprising:

a processor that (A) defines a first experimental space comprising factors of at least two mixtures with at least one common factor and (B) defines a second experimental space by deleting duplicate factor combinations from said first experimental space and wherein said second experimental space is a ternary space comprising a number of experiments defined by

$$V + \prod_{i=1}^3 n_i \times I_3 + \left[\sum_{i=1}^3 \frac{1}{n_i} \prod_{j=1}^3 n_j \right] \times I_2 \quad ; \text{ and}$$

a reactor and evaluator to select a best case set of factors from said experimental space by a combinatorial high throughput screening (CHTS) method to select a best case set of factors from said experimental space.

19. The system of claim 18, wherein said processor comprises

a display terminal having screen displays whereby a researcher can input values for factors on said screen;

a database for storing said factors;

a computer for generating a set of test cases for a set of said factors based on a researcher specified value for identifying a number of interacting relationships within said factors;

a computer combining said test cases for set of factors with said relationships and

providing a merged table of test cases; and

an output for writing to a database said merged table of test cases.

20. (canceled)

21. The system of claim 18, wherein said second experimental space is a quaternary space comprising a number of experiments defined by

$$V + \prod_{i=1}^4 n_i \times I_1 + \left[\sum_{i=1}^4 \frac{1}{n_i} \prod_{i=1}^4 n_i \right] \times I_2 + \left[\sum_{i=1}^4 \sum_{j=i+1}^4 \frac{1}{n_i n_j} \prod_{i=1}^4 n_i \right] \times I_3$$

22. The system of claim 18, wherein said second experimental space is a pentanary space comprising a number of experiments defined by

$$V + \prod_{i=1}^5 n_i \times I_1 + \left[\sum_{i=1}^5 \frac{1}{n_i} \prod_{i=1}^5 n_i \right] \times I_2 + \left[\sum_{i=1}^5 \sum_{j=i+1}^5 \frac{1}{n_i n_j} \prod_{i=1}^5 n_i \right] \times I_3 + \left[\sum_{i=1}^5 \sum_{j=i+1}^5 \sum_{k=j+1}^5 \frac{1}{n_i n_j n_k} \prod_{i=1}^5 n_i \right] \times I_4$$

23. An experimental space, comprising a number of mixture combinations defined by an algorithm, which expresses the sum of terms:

$$V + \prod_{i=1}^T n_i \times I_T + \left(\sum_{i=1}^T \frac{1}{n_i} \right) \times \left(\prod_{i=1}^T n_i \right) \times [I_{(T-1)}]$$

for a ternary system ($T = 3$) or an algorithm for a succeeding T -nary system, determined from a previous term by: (a) adding an additional term which contains an additional summation, incremented over a next index from a starting point one unit higher than the first summation; (b) decrementing the subscript on I ; and (c) adding a value of n , indexed by the next index, to the inverse term.

24. The experimental space of claim 23, comprising a number of mixture combinations defined by an algorithm, which expresses the sum of terms:

$$V + \prod_{i=1}^4 n_i \times I_4 + \left[\sum_{i=1}^4 \frac{1}{n_i} \prod_{i=1}^4 n_i \right] \times I_3 + \left[\sum_{i=1}^4 \sum_{j=i+1}^4 \frac{1}{n_i n_j} \prod_{i=1}^4 n_i \right] \times I_2$$

for a quaternary system.

25. The experimental space of claim 23, comprising a number of mixture combinations defined by an algorithm, which expresses the sum of terms:

$$V + \prod_{i=1}^5 n_i \times I_5 + \left[\sum_{i=1}^5 \frac{1}{n_i} \prod_{i=1}^5 n_i \right] \times I_4 + \left[\sum_{i=1}^5 \sum_{j=i+1}^5 \frac{1}{n_i n_j} \prod_{i=1}^5 n_i \right] \times I_3 + \left[\sum_{i=1}^5 \sum_{j=i+1}^5 \sum_{k=j+1}^5 \frac{1}{n_i n_j n_k} \prod_{i=1}^5 n_i \right] \times I_2$$

for a pentanary system.